


RFI Shield Clips

Shield Clips for EMI/RFI Shields

- ❑ SMT devices offering a fast solution for assembling RFI shields to PCBs.
- ❑ Eliminates the need for through holes and post reflow operations.
- ❑ Saves PCB real estate.
- ❑ Facilitates easy removal of the can for maintenance and repair.
- ❑ Substantial improvement in time and simplicity of assembly tuning and re-work.




MAXI	MIDI						
<p style="text-align: right;">Shield Thickness 0.70-1.00mm</p> <p style="text-align: right;">ORDER CODE S1411-46R</p> <p>Recommended PCB Board Pattern</p>	<p style="text-align: right;">Shield Thickness 0.17-0.30mm</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #4a4a8a; color: white;">ORDER CODE</th> <th style="background-color: #4a4a8a; color: white;">MATERIAL</th> </tr> </thead> <tbody> <tr> <td style="background-color: #e0e0e0;">S1711-46R</td> <td style="background-color: #e0e0e0;">Beryllium Copper</td> </tr> <tr> <td style="background-color: #e0e0e0;">S2711-46R</td> <td style="background-color: #e0e0e0;">Cupro-Nickel</td> </tr> </tbody> </table> <p>Recommended PCB Board Pattern</p>	ORDER CODE	MATERIAL	S1711-46R	Beryllium Copper	S2711-46R	Cupro-Nickel
ORDER CODE	MATERIAL						
S1711-46R	Beryllium Copper						
S2711-46R	Cupro-Nickel						
MINI	MINI						
<p style="text-align: right;">Shield Thickness 0.20-0.30mm</p> <p style="text-align: right;">ORDER CODE S0971-46R</p> <p>Recommended PCB Board Pattern</p>	<p style="text-align: right;">Shield Thickness 0.13-0.23mm</p> <p style="text-align: right;">ORDER CODE S1721-46R</p> <p>Recommended PCB Board Pattern</p>						

All dimensions in mm.

RFI Shield Clips

Shield Clips for EMI/RFI Shields

- Compatible with industry standard placement machines.
- Packaged in standard (EIA 481) Tape & Reel format.
- Spring contact design provides secure can retention.
- Higher force options for retention under vibration.




<p>MICRO</p> <p>Shield Thickness 0.135-0.16mm</p> <p>ORDER CODE S0941-46R</p>	<p>MICRO</p> <p>Shield Thickness 0.20mm</p> <p>ORDER CODE S0951-46R</p>
<p>MICRO</p> <p>Shield Thickness 0.15-0.20mm</p> <p>ORDER CODE S0961-46R</p>	<p>MICRO</p> <p>Shield Thickness 0.20-0.25mm</p> <p>ORDER CODE S0991-46R</p>





All dimensions in mm.

RFI Shield Clips

Shield Clips for EMI/RFI Shields

- ❖ Compatible with industry standard placement machines.
- ❖ Packaged in standard (EIA 481) Tape & Reel format.
- ❖ Spring contact design provides secure retention.
- ❖ Ideally suited to miniature electronics.
- ❖ Low profile and corner clips offer design flexibility.



MICRO	COMPACT
 <p style="text-align: right;">Shield Thickness 0.15-0.20mm</p> <p style="text-align: center;">ORDER CODE S1001-46R</p> <p style="text-align: center;">Recommended PC Board Pattern</p>	 <p style="text-align: right;">Shield Thickness 0.15-0.20mm</p> <p style="text-align: center;">ORDER CODE S0911-46R</p> <p style="text-align: center;">Recommended PC Board Pattern</p>
CORNER	CORNER
 <p style="text-align: right;">Shield Thickness 0.20-0.25mm</p> <p style="text-align: center;">ORDER CODE S0981-46R</p> <p style="text-align: center;">Recommended PC Board Pattern</p>	 <p style="text-align: right;">Shield Thickness 0.30-0.40mm</p> <p style="text-align: center;">ORDER CODE S0921-46R</p> <p style="text-align: center;">Recommended PC Board Pattern</p>

All dimensions in mm.