


FERRIT-RINGKERNE



Art.-Nr.	A	B	C	Material	Impedanz Ω	
					25 MHz	100 MHz
600 06 36	6.35	2.95	25.4	T3	108	200
600 06 27	6.35	3.2	15.6	T30	76	125
600 06 15	7.8	4.0	13.0	T3	45	80
600 06 47	7.8	4.0	18.0	T3	75	124
600 06 16	6.5	4.3	10.0	T1	34	62
600 06 44	9.3	4.5	9.5	T1	53	124
600 06 21	14.2	4.5	28.5	T3	160	300
600 06 37	9.5	4.8	14.5	T1	75	121
600 06 06	11.0	5.0	18.5	T1	113	178
600 06 07	11.0	5.0	20.0	T1	145	195
600 06 08	11.0	5.0	25.0	T1	145	230
600 06 18	9.5	5.2	9.5	T1	45	105
600 06 20	10.5	5.5	20.0	T3	65	120
600 06 19	12.0	5.6	20.0	T1	114	214
600 06 26	12.0	5.6	30.0	T1	180	260
600 06 38	9.5	5.8	10.0	T1	38	68
600 06 02	14.1	6.28	28.6	T1	186	300
600 06 40	9.8	6.3	15.7	T3	45	65
600 06 09	14.3	6.3	18.0	T1	124	194
600 06 04	14.2	6.35	28.5	T1	164	291
600 06 43	9.8	6.7	13.5	T1	43	91
600 06 45	15.65	6.99	28.57	T1	164	258
600 06 46	14.2	7.0	28.5	T1	147	233
600 06 10	15.5	7.0	20.0	T1	173	275
600 06 29	17.2	7.0	28.5	T3	140	230
600 06 11	15.5	7.2	28.0	T3	90	180
600 06 17	11.8	7.3	15.0	T3	53	95
600 06 23	14.2	8.0	23.5	T3	65	135
600 06 24	14.2	8.0	28.5	T3	124	212
600 06 42	15.25	8.0	28.0	T1	122	180
600 06 03	15.9	8.0	28.5	T1	186	247
600 06 48	12.0	8.5	15.0	T1	45	85
600 06 01	12.0	8.5	16.0	T1	43	63
600 06 28	17.1	8.75	25.4	T3	90	130
600 06 49	16.0	9.0	17.0	T1	79	134
600 06 05	16.0	9.0	28.0	T1	124	198
600 06 30	17.2	9.2	28.3	T1	115	170
600 06 12	17.5	9.4	28.6	T1	146	239
600 06 50	17.5	9.5	35.0	T1	152	253
600 06 31	17.2	10.0	28.4	T3	100	240
600 06 51	17.5	10.0	40.0	T1	123	232
600 06 52	18.0	10.0	29.0	T1	128	210
600 06 32	18.7	10.2	28.5	T3	124	209
600 06 25	16.0	10.5	28.0	T3	91	156
600 06 41	17.3	10.5	28.4	T1	90	150
600 06 33	19.2	11.6	28.6	T3	76	118
600 06 35	20.7	12.0	28.5	T3	123	196
600 06 34	19.0	13.0	29.0	T1	60	105
600 06 13	26.0	13.0	28.5	T1	155	236
600 06 14	26.0	14.0	28.5	T3	90	180
600 06 53	28.0	14.0	28.0	T3	110	180
600 06 54	28.0	16.0	28.5	T3	110	220
600 06 58	15.85	7.90	50.8	T1	298	475

Artikel sortiert nach Innendurchmesser (B)

alle Maße in mm